



# PRICE LIST

TECHNICAL INSULATION  
VALID FROM 1<sup>ST</sup> APRIL 2022  
AUSTRIA

## INDUSTRIAL APPLICATIONS



**PAROC**<sup>®</sup>

# TABLE OF CONTENTS

Contact Us ..... 3

## PAROC products for industrial applications ..... 4

### Pipe Sections

PAROC Pro Section 100 .....	6
PAROC Pro Section WR 120.....	8
PAROC Pro Section WR 140.....	8
PAROC Pro Section WR DL 100.....	9
PAROC Pro Section WR DL 120.....	10
PAROC Pro Section WR DL 140.....	10
PAROC Pro Curve WR 100 DL .....	11
PAROC Pro Curve WR 120 DL .....	11
PAROC Pro Curve WR 140 DL .....	11
PAROC Pro Curve WR 100 .....	11
PAROC Pro Curve WR 120 .....	11
PAROC Pro Curve WR 140 .....	11
PAROC Pro Section WR DL1 .....	12
PAROC Pro Lock WR 100 .....	13
PAROC Pro Lock WR 140 .....	14

### Bends and Segments

PAROC Pro Segment WR 100 .....	15
PAROC Pro Segment WR 120 .....	15
PAROC Pro Segment WR 140 .....	16
PAROC Pro Segment WR 100 DL .....	16
PAROC Pro Segment WR 120 DL .....	17
PAROC Pro Segment WR 140 DL .....	17
PAROC Pro Segment WR DL1 .....	18
PAROC Pro Bend WR 100.....	19
PAROC Pro Bend WR 120.....	19
PAROC Pro Bend WR 140.....	20

### Lamella Mats

PAROC Pro Lamella Mat WR AluCoat .....	21
PAROC Pro Lamella Mat AluCoat .....	21
PAROC Pro Lamella Mat WR 80 AluCoat.....	22
PAROC Pro Lamella Mat 80 AluCoat .....	22
PAROC Pro Lamella Mat WR 100 AluCoat .....	22
PAROC Pro Lamella Mat 100 AluCoat .....	22

### Wired Mats

PAROC Pro Wired Mat WR 550 .....	23
PAROC Pro Wired Mat WR 550 AL1 .....	23
PAROC Pro Wired Mat WR 660 .....	24
PAROC Pro Wired Mat WR 660 AluCoat .....	24
PAROC Pro Wired Mat WR 660 AL1 .....	24
PAROC Pro Wired Mat 80 Comfort.....	24
PAROC Pro Wired Mat LE 80 .....	24
PAROC Pro Wired Mat LE 80 Comfort .....	24
PAROC Pro Wired Mat WR 680 .....	25
PAROC Pro Wired Mat WR 680 AluCoat .....	25
PAROC Pro Wired Mat WR 680 AL1 .....	25
PAROC Pro Wired Mat 100 Comfort.....	25
PAROC Pro Wired Mat LE 100 .....	25
PAROC Pro Wired Mat LE 100 Comfort .....	25
PAROC Pro Wired Mat WR 130 .....	26
PAROC Pro Wired Mat WR 130 AluCoat .....	26
PAROC Pro Wired Mat WR 130 AL1 .....	26

### Slabs

PAROC Pro Roof Slab WR 20 kPa.....	27
PAROC Pro Roof Slab 30 kPa.....	28
PAROC Pro Roof Slab WR 50 kPa.....	29

PAROC Pro Roof Slab 80 kPa.....	30
PAROC Pro Slab WR 350 .....	31
PAROC Pro Slab WR 350 AluCoat.....	31
PAROC Pro Slab WR 450 .....	32
PAROC Pro Slab WR 450 AluCoat.....	32
PAROC Pro Slab WR 640 .....	33
PAROC Pro Slab WR 640 AluCoat.....	33
PAROC Pro Slab WR 660 .....	34
PAROC Pro Slab WR 660 AluCoat.....	34
PAROC Pro Slab WR 680 .....	35
PAROC Pro Slab WR 680 AluCoat.....	35
PAROC Pro Slab WR 700 .....	36
PAROC Pro Slab WR 700 AluCoat.....	36

### Mats

PAROC Pro Mat 50.....	37
PAROC Pro Mat 50 AluCoat.....	37
PAROC Pro Mat 70.....	38
PAROC Pro Mat 70 AluCoat .....	38
PAROC Pro Mat 80.....	39
PAROC Pro Mat 80 AluCoat .....	39
PAROC Pro Mat 100.....	40
PAROC Pro Mat 100 AluCoat.....	40
PAROC Pro Loose Mat 50.....	41
PAROC Pro Loose Mat 70.....	41
PAROC Pro Loose Mat 80.....	42
PAROC Pro Loose Mat 100 .....	43

### Clad System

PAROC Pro Section 140 Clad T .....	44
PAROC Pro Segment 140 Clad .....	44
PAROC Pro Bend 140 Clad.....	44
PAROC Pro Curve Clad (WR).....	44
PAROC Pro Lamella Mat Clad .....	46
PAROC Clad Dots.....	47
PAROC Clad Tape.....	47
PAROC Clad Alu Tape .....	47
PAROC Pro Roof Wedge.....	47

### Accessories

PAROC Pallet Hoods .....	49
PAROC Pro Knives .....	49
PAROC Spatula .....	49
PAROC CUI Spacers.....	49
PAROC Head Pins Insulated.....	50
PAROC Head Pins .....	50
PAROC Welding Device.....	51
PAROC Hvac AluCoat Tape .....	51
PAROC Hvac Alu Tape.....	51
PAROC HT Tape .....	52
PAROC Hvac Dots .....	52
PAROC Pro Cladding Support 100 and 140 .....	52



## PAROC PRO

products for industrial applications are tested according to both ASTM and EN standards

**Quick access: Click on the desired product or content page to immediately navigate to it.  
Clicking on 'Table of Contents' will direct you back to the index page.  
Hyperlinks will take you to relevant additional pages or research sources.**

# CONTACT US

## PAROC GmbH

Phone: +49 40 88 30 76-0  
 Fax: +49 40 88 30 76 200

[Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

*ask your local sales representative for updated terms and conditions*

- Paroc headquarters
- Production site / branch
- ▲ Sales office



## INTERNATIONAL CONTACTS

Segment Manager Industry

**Rune Hagensen**

[rune.hagensen@owenscorning.com](mailto:rune.hagensen@owenscorning.com)

Technical Support

**Craig Treanor**

[craig.treanor@owenscorning.com](mailto:craig.treanor@owenscorning.com)

Marketing Manager Industry

**Claudia Beling**

[claudia.beling@owenscorning.com](mailto:claudia.beling@owenscorning.com)




# PAROC PRODUCTS FOR INDUSTRIAL APPLICATIONS



# EXPLANATION OF SYMBOLS

## TECHNICAL SPECIFICATIONS


Melting point




Non-combustible



Maximum service temperature




Nominal density




## DIMENSIONS

Thickness




Width



Length



Inner diameter



Insulation thickness



Section length



## ADDITIONAL INFORMATION

Data sheet



Accessories



Installation video



Packing details



Dimension Guide











# PIPE SECTIONS

## PAROC PRO SECTION 100

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)





ACCESSORIES

CLAD-SYSTEM

MATS

SLABS

WIRED MATS

LAMELLA MATS

BENDS AND SEGMENTS

PIPE SECTIONS

CONTENTS







# PIPE SECTIONS

## PAROC PRO SECTION WR 120

Concentric, dimensionally accurate stone wool pipe sections, in one or two segments, slotted on one side



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# PIPE SECTIONS

## PAROC PRO SECTION WR 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)






# PIPE SECTIONS

## PAROC PRO SECTION WR DL 100



Stonewool pipe section in two layers for industrial pipelines



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Watch our video  
on energy efficiency with  
PAROC Pro Sections!



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# PIPE SECTIONS

## PAROC PRO SECTION WR DL 120

Stonewool pipe section in two layers for industrial pipelines



Accessories (pages 49 - 52):  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers




Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)








# PIPE SECTIONS

## PAROC PRO SECTION WR DL 140

PAROC Pro Section 140 is a non-combustible stonewool pipe section for industrial pipe lines



Accessories (pages 49 - 52):  
 PAROC Pro Knife XTK001/003  
 PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



## PIPE SECTIONS

PAROC PRO CURVE WR 100 DL  
PAROC PRO CURVE WR 120 DL  
PAROC PRO CURVE WR 140 DL



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers

PAROC Pro Section WR 120 is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present



Watch our video  
on energy efficiency with  
PAROC Pro Sections!



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)




## PIPE SECTIONS

PAROC PRO CURVE WR 100  
PAROC PRO CURVE WR 120  
PAROC PRO CURVE WR 140



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers

PAROC Pro Section WR 120 is a non-combustible stonewool pipe section for industrial pipe lines where the risk of CUI (corrosion under insulation) is present



Watch our video  
on energy efficiency with  
PAROC Pro Sections!



WR 100 WR 120 WR 140

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)










# PIPE SECTIONS

## PAROC PRO SECTION WR DL1

Stonewool pipe section in 2 layers for industrial pipe lines

 **Accessories (pages 49 - 52):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# PIPE SECTIONS

## PAROC PRO LOCK WR 100

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Nominal insulation thickness, mm					
Inner diameter mm	80	100	120	140	160
	€/m	€/m	€/m	€/m	€/m
219	107.70	131.85	154.10	189.35	235.95
245	125.65	151.30	181.50	208.10	243.60
273	136.80	160.15	185.70	228.35	263.60
305	138.55	175.80	214.40	235.65	283.60
324	153.50	183.35	220.45	262.95	298.90
356	158.35	196.30	227.40	273.70	314.85
371	160.30	191.60	236.25	278.70	329.95
406	174.00	218.80	255.85	291.15	342.70
457	192.10	238.50	271.35	317.40	355.35
508	205.65	257.55	290.85	330.50	461.55
533	215.20	261.70	336.00	393.15	517.40
558	224.60	292.30	355.00	415.70	547.00
612	239.20	327.85	398.60	443.70	582.05
714	339.70	410.95	509.00	578.75	698.40
813	430.55	500.85	560.55	638.65	
914	465.85	580.05	647.35		



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)











# PIPE SECTIONS

## PAROC PRO LOCK WR 140

Stonewool pipe section with a z-joint on the longitudinal and circumferential seams

 **Accessories (pages 49 - 52):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)










## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 100

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool section



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)






## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 120

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool section



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers









Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 140

Ready cut segment for medium and big size pipe elbows made of non-combustible stone wool pipe section



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)








Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers

## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 100 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers





## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 120 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)





## BENDS AND SEGMENTS

### PAROC PRO SEGMENT WR 140 DL

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# BENDS AND SEGMENTS

## PAROC PRO SEGMENT WR DL1

Cut segment in double layer for medium and big size pipe elbows in high temperature made of non-combustible stone wool pipe section

 **Accessories (pages 49 - 52):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)









# BENDS AND SEGMENTS

## PAROC PRO BEND WR 100

Prefabricated insulation component made of stonewool



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# BENDS AND SEGMENTS

## PAROC PRO BEND WR 120

Prefabricated insulation component made of stonewool



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers










Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# BENDS AND SEGMENTS

## PAROC PRO BEND WR 140

Prefabricated insulation component made of stonewool

 **Accessories (pages 49 - 52):**  
PAROC Pro Knife XTK001/003  
PAROC CUI Spacers









Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# LAMELLA MATS

PAROC PRO LAMELLA MAT WR ALUCOAT  
PAROC PRO LAMELLA MAT ALUCOAT

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## LAMELLA MATS






**PAROC PRO LAMELLA MAT WR 80 ALUCOAT**  
**PAROC PRO LAMELLA MAT 80 ALUCOAT**

Non-combustible stone wool insulation for thermal and condensation insulation of ventilation ducts and equipment. It has a reinforced aluminium foil facing



### Accessories (pages 49 - 52):

PAROC AluCoat Tape  
 PAROC Alu Tape  
 PAROC HT Tape  
 PAROC Hvac Dots  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Spatula  
 PAROC Welding Device



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## LAMELLA MATS







**PAROC PRO LAMELLA MAT WR 100 ALUCOAT**  
**PAROC PRO LAMELLA MAT 100 ALUCOAT**

Stonewool lamella mat laminated on one side with a grid-reinforced aluminum foil



### Accessories (pages 49 - 52):

PAROC AluCoat Tape  
 PAROC Alu Tape  
 PAROC HT Tape  
 PAROC Hvac Dots  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Spatula  
 PAROC Welding Device











Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# WIRED MATS

**PAROC PRO WIRED MAT WR 550**  
**PAROC PRO WIRED MAT WR 550 AL1**

Stonewool wired mat with galvanized net. Available also with stainless steel net and/or sewing wire with water-repellent features

 **Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Pro Cladding Support









Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# WIRED MATS

- PAROC PRO WIRED MAT WR 660
- PAROC PRO WIRED MAT WR 660 ALUCOAT
- PAROC PRO WIRED MAT WR 660 AL1
- PAROC PRO WIRED MAT 80 COMFORT\*
- PAROC PRO WIRED MAT LE 80\*
- PAROC PRO WIRED MAT LE 80 COMFORT\*

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



\*only available in certain markets

Thickness	Length mm	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm			€/m <sup>2</sup>
				Plain
30	7000	7.00	147.00	12.35
40	5000	5.00	105.00	14.70
50	5000	5.00	105.00	16.65
60	4000	4.00	84.00	18.70
70	3500	3.50	73.50	20.90
80	3500	3.50	73.50	22.50
90	3000	3.00	63.00	24.95
100	2500	2.50	52.50	26.45
120	2000	2.00	42.00	30.60



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)









# WIRED MATS

- PAROC PRO WIRED MAT WR 680
- PAROC PRO WIRED MAT WR 680 ALUCOAT
- PAROC PRO WIRED MAT WR 680 AL1
- PAROC PRO WIRED MAT 100 COMFORT\*
- PAROC PRO WIRED MAT LE 100\*
- PAROC PRO WIRED MAT LE 100 COMFORT\*

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC HT Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Pro Cladding Support

Stonewool mat with wire thread quilting on galvanized wire mesh



\*only available in certain markets

Thickness	Length mm	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm			€/m <sup>2</sup>
				Plain
30	7000	6.00	147.00	15.15
40	5000	5.00	105.00	17.90
50	4500	4.50	94.50	20.00
60	4000	4.00	84.00	23.20
70	3500	3.50	73.50	25.65
80	3500	3.50	73.50	27.90
90	3000	3.00	63.00	31.05
100	2500	2.50	52.50	32.85
120	2000	2.00	42.00	38.55



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)





# WIRED MATS

**PAROC PRO WIRED MAT WR 130\***

**PAROC PRO WIRED MAT WR 130 ALUCOAT\***

**PAROC PRO WIRED MAT WR 130 AL1\***

Stonewool mat with wire thread quilting on galvanized wire mesh



**Accessories (pages 49 - 52):**






PAROC Pro Knife XTK001/003

PAROC HT Tape

PAROC Head Pins Insulated

PAROC Head Pins

PAROC Pro Cladding Support



\*not available in all markets

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## LOOKING FOR HIGHER TEMPERATURE RESISTANCE?

**W2** - stainless steel wire mesh and thread; **SW2** - galvanized wire mesh and stainless steel thread

**PAROC Pro Wired Mat 550 W2 and PAROC Pro Wired Mat 550 SW2**

**PAROC Pro Wired Mat 660 W2 and PAROC Pro Wired Mat 660 SW2**

**PAROC Pro Wired Mat 680 W2 and PAROC Pro Wired Mat 680 SW2**



**PAROC Pro Wired Mat 130 W2 and PAROC Pro Wired Mat 130 SW2**

# SLABS

## PAROC PRO ROOF SLAB WR 20 kPa

Non-combustible stonewool slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
50	1200	600	2.88	69.12	23.35
60	1200	600	2.88	57.60	28.05
80	1200	600	2.16	43.20	37.50
100	1200	600	1.44	34.56	46.80
120	1200	600	1.44	28.80	56.20



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# SLABS


## PAROC PRO ROOF SLAB 30 kPa\*

Non-combustible stonewool slab



**Accessories (pages 49 - 52):**

- PAROC Pro Knife XTK001/003
- PAROC Palett Hoods
- PAROC Hvac AluCoat Tape
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Welding Device
- PAROC Alu Tape
- PAROC HT Tape



*\*only available in certain markets*

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# SLABS





## PAROC PRO ROOF SLAB WR 50 kPa

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 50 kPa load during installation and maintenance



### Accessories (pages 49 - 52):

PAROC Pro Knife XTK001/003  
PAROC Palett Hoods  
PAROC Hvac AluCoat Tape  
PAROC Head Pins Insulated  
PAROC Head Pins  
PAROC Welding Device  
PAROC Alu Tape  
PAROC HT Tape



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
40	1200	600	3.60	86.40	27.05
50	1200	600	2.88	69.12	33.20
60	1200	600	2.88	57.60	39.85
80	1200	600	2.16	43.20	53.80
100	1200	600	1.44	34.56	69.40
120	1200	600	1.44	28.80	78.45
140	1200	600	1.44	23.04	91.90



Please email to  
[Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)









# SLABS

## PAROC PRO ROOF SLAB 80 kPa\*

Non-combustible stonewool slab for industrial tank roofs. It is very strong and can withstand up to 80 kPa load during installation and maintenance

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



*\*only available in certain markets*

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)








# SLABS

## PAROC PRO SLAB WR 350 PAROC PRO SLAB WR 350 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
40	1200	600	8.64	86.40	8.05
50	1200	600	7.20	72.00	9.75
60	1200	600	5.76	57.60	11.95
80	1200	600	4.32	43.20	16.00
100	1200	600	3.60	36.00	19.50
120	1200	600	2.16	25.92	23.65
140	1200	600	2.16	25.92	29.50



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)








# SLABS

## PAROC PRO SLAB WR 450 PAROC PRO SLAB WR 450 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
30	1200	600	10.08	100.80	9.00
40	1200	600	8.64	86.40	10.95
50	1200	600	5.76	69.12	12.85
60	1200	600	5.76	57.60	15.45
80	1200	600	4.32	43.20	20.55
100	1200	600	3.60	36.00	25.20
120	1200	600	2.88	28.80	31.75



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# SLABS

## PAROC PRO SLAB WR 640 PAROC PRO SLAB WR 640 ALUCOAT

Non-combustible stonewool insulation slab



**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



\*25 - 250 mm for AluCoat version



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
30	1200	600	8.64	103.68	12.70
40	1200	600	5.76	80.64	16.65
50	1200	600	5.04	70.56	19.90
60	1200	600	4.32	51.84	24.55
80	1200	600	2.88	40.32	33.45
100	1200	600	2.16	34.56	40.70
120	1200	600	2.16	25.92	46.30



Please email to  
[Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# SLABS


## PAROC PRO SLAB WR 660 PAROC PRO SLAB WR 660 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



\*25 - 210 mm for AluCoat version



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
30	1200	600	5.76	115.20	16.55
40	1200	600	4.32	86.40	19.85
50	1200	600	3.60	72.00	24.50
60	1200	600	2.88	57.60	29.95
80	1200	600	2.16	43.20	39.80
100	1200	600	1.44	34.56	49.75
120	1200	600	1.44	28.80	60.55



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# SLABS

## PAROC PRO SLAB WR 680 PAROC PRO SLAB WR 680 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



\*25 - 170 mm for AluCoat version



Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
30	1200	600	5.04	110.88	18.45
40	1200	600	3.60	86.40	26.00
50	1200	600	2.88	69.12	31.15
60	1200	600	2.88	57.60	37.25
80	1200	600	2.16	43.20	51.70
100	1200	600	1.44	34.56	64.15
120	1200	600	1.44	28.80	74.55



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)





# SLABS

## PAROC PRO SLAB WR 700 PAROC PRO SLAB WR 700 ALUCOAT

Non-combustible stonewool insulation slab

**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Palett Hoods  
 PAROC Hvac AluCoat Tape  
 PAROC Head Pins Insulated  
 PAROC Head Pins  
 PAROC Welding Device  
 PAROC Alu Tape  
 PAROC HT Tape



\*25 - 140 mm for AluCoat version

Thickness	Length mm	Width	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm	mm			€/m <sup>2</sup>
30	1200	600	5.04	110.88	20.65
40	1200	600	3.60	86.40	27.85
50	1200	600	2.88	69.12	34.80
60	1200	600	2.88	57.60	41.60
80	1200	600	2.16	43.20	55.50
100	1200	600	1.44	34.56	69.45
120	1200	600	1.44	28.80	83.35



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# MATS

## PAROC PRO MAT 50\*






### PAROC PRO MAT 50 ALUCOAT\*

Non-combustible stone wool mat for industrial applications



#### Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



\*not available in all markets

Thickness	Length	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
				€/m <sup>2</sup>
mm	mm			AluCoat
30	8000	8.00	168.00	10.15
40	7000	7.00	147.00	12.10
50	6500	6.50	136.50	13.85
60	6000	6.00	126.00	15.50
80	5000	5.00	105.00	18.90
100	4000	4.00	84.00	21.85
120	2500	2.00	52.50	25.90



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# MATS

## PAROC PRO MAT 70\*





### PAROC PRO MAT 70 ALUCOAT\*

Non-combustible stone wool mat for industrial applications



#### Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



● ●  
\*not available in all markets

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# MATS

**PAROC PRO MAT 80\***







**PAROC PRO MAT 80 ALUCOAT\***

Non-combustible stone wool mat for industrial applications



**Accessories (pages 49 - 52):**

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



● ●  
\*not available in all markets

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# MATS

## PAROC PRO MAT 100\*








### PAROC PRO MAT 100 ALUCOAT\*

Non-combustible stone wool mat for industrial applications



#### Accessories (pages 49 - 52):

- PAROC AluCoat Tape
- PAROC Alu Tape
- PAROC Pallet Hoods
- PAROC Head Pins Insulated
- PAROC Head Pins
- PAROC Spatula
- PAROC Pro Knife
- PAROC HT Tape
- PAROC Pro Cladding Support



● ●  
\*not available in all markets

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)






# MATS

## PAROC PRO LOOSE MAT 50

Stonewool mat with low binder content



**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Welding Device  
 PAROC Pallet Hood



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)







# MATS

## PAROC PRO LOOSE MAT 70

Stonewool mat with low binder content



**Accessories (pages 49 - 52):**  
 PAROC Pro Knife XTK001/003  
 PAROC Welding Device  
 PAROC Pallet Hood



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)




# MATS


## PAROC PRO LOOSE MAT 80


Stonewool mat with low binder content


 **Accessories (pages 49 - 52):**  
PAROC Pro Knife XTK001/003  
PAROC Welding Device  
PAROC Pallet Hood





 **1000 °C**


 **NON-COMBUSTIBLE**


 **600 °C**


 **80 kg/m³**


 **40 - 120 mm**

 **1000 mm**

 **2000 - 6500 mm**

 **MARKET LEADING WATER REPELLENCY**





Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)






# MATS

## PAROC PRO LOOSE MAT 100

Stonewool mat with low binder content



Accessories (pages 49 - 52):  
PAROC Pro Knife XTK001/003  
PAROC Welding Device  
PAROC Pallet Hood



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)






# CLAD-SYSTEM

## PAROC PRO SECTION 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating

**Accessories (pages 49 - 52):**  
 PAROC Clad Tape  
 PAROC Pro Knife XTK001/003  
 PAROC Pallet Hoods  
 PAROC Clad Alu Tape

**NEW!** **ADDITIONAL SYSTEM PRODUCTS:**  
 PAROC Pro Segment 140 Clad  
 PAROC Pro Bend 140 Clad  
 PAROC Pro Curve Clad (WR)



Video PAROC Clad-System

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
18	0.00	13.35	17.30	22.80	29.40					
22	0.00	13.80	18.00	24.60	30.15	37.75	43.90			
28	10.80	15.05	18.60	24.70	32.25	38.90	46.60			
35	11.30	15.55	20.55	26.15	32.55	40.50	47.15	54.60	60.60	
42	12.80	17.30	22.65	27.05	34.20	40.85	48.75	55.15	62.75	
48	14.30	19.10	22.80	28.65	34.65	42.70	49.50	57.55	64.35	
54	14.50	19.30	23.35	29.50	36.40	43.10	51.20	58.10	66.20	
60	15.85	19.45	25.15	29.90	36.70	45.00	51.75	60.20	67.45	
64	15.95	21.10	25.65	31.85	36.75	45.10	52.20	60.95	68.25	92.45
70	19.80	21.85	27.40	32.25	38.90	45.70	53.75	61.35	70.25	93.45
76	20.40	23.35	27.95	34.25	39.45	47.45	54.15	63.25	71.05	94.60
89	22.55	25.55	29.95	36.55	42.05	49.60	55.70	65.00	72.75	98.80
102	24.75	27.85	32.55	39.30	44.45	52.30	58.80	68.00	74.85	101.90
108		28.25	34.25	39.45	46.80	53.00	60.80	68.30	76.85	103.80
114		30.00	34.95	41.60	47.20	55.15	61.65	70.45	77.70	104.80
127		31.65	36.80	43.10	48.75	57.00	63.60	75.75	79.20	107.65
133		32.45	38.85	44.50	51.95	58.55	66.85	77.70	83.30	110.50



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# CLAD-SYSTEM

## PAROC PRO SECTION 140 CLAD T

Stonewool pipe section with a uv-resistant, fibre reinforced aluminium coating



### Accessories (pages 49 - 52):

PAROC Clad Tape  
PAROC Pro Knife XTK001/003  
PAROC Pallet Hoods  
PAROC Clad Alu Tape

Nominal insulation thickness, mm										
Inner diameter mm	20	30	40	50	60	70	80	90	100	120
	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m	€/m
140		34.40	39.60	46.85	52.85	61.05	68.00	81.45	84.45	112.60
159		36.80	43.50	49.60	57.05	64.10	72.65	85.05	89.90	118.15
168		47.75	54.60	60.05	68.35	78.65	87.55	99.45	110.05	136.10
194		53.65	61.00	68.60	75.55	86.50	96.80	109.45	120.90	
219		60.60	66.35	73.65	80.90	91.65	101.30	113.90	125.15	
245		78.30	89.20	99.95	109.75	122.80	134.30	149.85	165.35	186.30
273							146.10	160.25	166.00	197.30
305							152.05	159.45	173.60	205.80
324							156.20	168.95	182.95	217.35
356							159.55	173.45	186.00	221.60
371							172.55	186.60	201.70	233.85
406							189.90	204.35	219.85	254.65
457							201.65	221.10	241.90	282.00

# CLAD-SYSTEM




## PAROC PRO LAMELLA MAT CLAD

Stonewool lamella mat with UV-resistant, fibre reinforced aluminium coating



### Accessories (pages 49 - 52):

- PAROC Clad Tape
- PAROC Clad Dots
- PAROC Clad AluTape
- PAROC Head Pins Insulated
- PAROC Pro Knife XTK001/003
- PAROC Schweißgerät - ZTM 100
- PAROC Spatula
- PAROC Pallet Hoods
- PAROC Pro Roof Wedge



Video PAROC Clad-System

Thickness	Length	m <sup>2</sup> / Package	m <sup>2</sup> / Pal.	Price
mm	mm			€/m <sup>2</sup>
20	10000	10.00	250.00	41.10
30	8000	8.00	200.00	42.60
40	6000	6.00	150.00	45.25
50	5000	5.00	125.00	46.85
60	4000	4.00	100.00	49.00
70	3500	3.50	87.50	51.75
80	3000	3.00	75.00	53.30
100	2500	2.50	50.00	57.45



Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# CLAD-SYSTEM ACCESSORIES

## PAROC CLAD DOTS

PAROC Clad Dots are the optimal solution when it comes to cover pins' heads.



### Application

- Fast, clean, generates a good looking, smooth, gapless and tight insulation surface. No risk of condensation. It is also very easy to lift the single dot from the release paper

Ø mm	Piece / roll	Rolls per box
90	100	6

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



## PAROC CLAD TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance.



### Application

- Used amongst others for masking of Clad faced products. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC Clad products.
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC Clad Tape gives a great finish and safe installation

Length mm	Width mm	Rolls per box
10000	30	20
10000	50	12
10000	75	8
10000	100	6

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



## PAROC CLAD ALU TAPE

Water resistant acrylic tape with very high tack and very high ageing resistance for pipe elbows



### Application

- Used amongst others for masking elbows of Clad faced pipe sections. The Clad sealing tape can be used as moisture and diffusion barriers; ideal for sealing the joints when using PAROC Clad pipe sections
- Permanently seal pipes and ventilation ducts facings in heating, ventilation and air conditioning engineering. The butyl sealing tapes are also used as moisture and diffusion barriers in underground construction. PAROC Clad Tape gives a great finish and safe installation

Length m	Width mm	Rolls per box
10	50	12

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



## PAROC PRO ROOF WEDGE

Stone wool wedge plate with a gradient of at least 3%



Thickness mm	Length mm	Width mm
25/60	1200	600
42/60	1200	600

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



# SELECTION TABLE FOR MULTILAYER PIPE INSULATION PIPE SECTIONS AND SEGMENTS

Inner diameter mm	Nominal insulation thickness, mm															
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160
	Outer diameter, mm															
12/15	52	62	72	92	115											
18	62	72	82	102	115	141										
22	62	72	82	102	128	141	167	180								
28	72	82	92	102	128	154	167	193								
35	72	82	92	115	141	154	180	193	219	232						
42	82	92	102	128	141	167	180	206	219	245						
48	92	102	115	128	154	167	193	206	232	245						
54	92	102	115	128	154	180	193	219	232	258						
57	102	102	115	141	154	180	193	219	232	258						
60	102	115	115	141	154	180	206	219	245	258						
64	102	115	128	141	167	180	206	219	245	258	284	310				
70	115	115	128	154	167	193	206	232	245	271	284	310				
76	115	128	141	154	180	193	219	232	258	271	297	310				
84			141	167	180	206	219	245	258	284	310	323				
89	128	141	154	167	193	206	232	245	271	284	310	323				
102	141	154	167	180	206	219	245	258	284	297	323	336				
108		154	167	193	206	232	245	271	284	310	323	349				
114		167	180	193	219	232	258	271	297	310	336	349				
121		167	180	206	219	245	258	284	297	323	336	362				
127		180	193	206	232	245	271	284	310	323	349	362				
133		180	193	219	232	258	271	297	310	336	349	375				
140		193	206	219	245	258	284	297	323	336	362	375				
156		206	219	232	258	271	297	310	336	362	375	401				
159		206	219	245	258	284	297	323	336	362	375	401				
168		219	232	245	271	284	310	323	349	362	388	414				
178		232	232	258	284	297	323	336	362	375	401	414				
194		245	258	271	297	310	336	349	375	388	414					
208			271	284	310	323	349	362	388	414	427					
219			284	297	323	336	362	375	401	414	440	453	479	505	518	544
230			284	310	336	349	375	388	414	427	453	466	492	505	531	544
240			297	323	336	362	375	401	414	440	466	479	505	518	544	557
245			310	323	349	362	388	401	427	440	466	479	505	531	544	570
259			323	336	362	375	401	414	440	453	479	505	518	544	557	583
273			336	349	375	388	414	427	453	479	492	518	531	557	570	596
289			349	375	388	414	427	453	466	492	505	531	544	570	583	609
295			349	375	401	414	440	453	479	492	518	531	557	570	596	609
305			362	388	401	427	440	466	479	505	531	544	570	583	609	622
324			388	401	427	440	466	479	505	518	544	570	583	609	622	648
356			414	440	453	479	492	518	531	557	570	596	622	635	661	674
371			427	453	466	492	505	531	557	570	596	609	635	648	674	687
377			440	453	479	492	518	531	557	583	596	622	635	661	674	700
406			466	492	505	531	544	570	583	609	622	648	661	687	700	726
426			492	505	531	544	570	583	609	622	648	661	687	700	726	752
457			518	531	557	583	596	622	635	661	674	700	713	739	752	778
479			544	557	583	596	622	635	661	674	700	713	739	765	778	804
490			544	570	596	609	635	648	674	687	713	726	752	765	791	804
508			570	583	609	622	648	674	687	713	726	752	765	791	804	830
533				609	635	648	674	687	713	739	752	778	791	817	830	856
558				635*	661	674	700	713	739	752	778	804	817	843	856	882
612				687*	713	726	752	778	791	817	830	856	869	895	908	934
630				713*	726	752	765	791	804	830	856	869	895	908	934	947
665				739*	765	791	804	830	843	869	882	908	921	947	960	986
714					817	830	856	869	895	908	934	960	973	999	1012	1038*
720					817	843	856	882	895	921	934	960	986	999	1025	1038*
762					856	882	908	921	947	960	986	999	1025	1038	1064*	1077*
813					908	934	947	973	999	1012	1038	1051	1077	1090	1116*	1129*
822					921	947	960	986	999	1025	1038	1064	1077	1103	1116	1142
914					1012	1038	1051	1077	1090	1116	1129	1155	1168	1194	1220	
1016							1155	1181	1194	1220						

Blank box - not made

414 Underlined - delivered hinged or halves (F1) according to request (F1 disallows AluCoat T)

427 Red - delivered only in halves (F1)

Not made with facings

Not made in 140 kg density

635\* Red with asterisk - not made in WR 140 kg density

Boundary of selection available with facing AluCoat T

Boundary of selection available as Pro Lock

# ACCESSORIES

## PAROC PALLET HOODS



### Application

- Protective, waterproof hood ideal for covering pallets against dirt, moisture and dust

Length mm	Width mm	Max. pallet size in mm	PU
1600	1200	1200 x 1200	10
2900	3300	2300 x 1150 and 2400 x 1000	25

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## PAROC PRO KNIFE – XTK 001



- Particularly suitable for cutting PAROC products (Clad systems)
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item	Price
mm			€/pcs
approx.300	Serrated edge (serrated)	XTK 001	<b>16.00</b>

## PAROC PRO KNIFE – XTK 003




- Suitable for cutting PAROC products
- Number scale on the blade (determination of insulation thickness)

Blade	Grind blade	Item	Price
mm			€/pcs
approx.300	Smooth finish	XTK 003	<b>8.80</b>

## PAROC SPATULA

Plastic spatula for supporting pressure and for optical smoothing of the tape



Length	Width	PU	Price
mm		Pieces / box	€/box
100	70	20	<b>21.65</b>

## PAROC CUI SPACERS



Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# ACCESSORIES

## PAROC HEAD PINS INSULATED



### Application

- Fastening of PAROC products

### Technical specifications

- Pin made of St37 copper-plated and insulated
- Plate made of St37 galvanized

Length	Plate diameter	Number of pieces/Package	Price
mm	mm		€/package
19.0	30	1000	96.80
22.2	30	1000	98.25
28.5	30	1000	102.05
30.5	30	1000	102.80
38.0	30	1000	105.10
41.0	30	1000	105.35
47.6	30	1000	107.15
50.0	30	1000	122.80
54.0	30	1000	123.70
58.0	30	1000	124.55
60.5	30	1000	125.20
62.0	30	1000	126.30
68.0	30	500	64.50
72.0	30	500	65.20
78.0	30	500	66.95
89.0	30	500	73.40
98.5	30	500	78.35
101.6	30	500	79.15

## PAROC HEAD PINS



### Application

- Fastening of PAROC products

### Technical specifications

- Pin made of St37 copper-plated and insulated
- Plate made of St37 galvanized

Length	Plate diameter	Number of pieces/Package	Price
mm	mm		€/package
19.0	30	1000	143.60
22.2	30	1000	145.05
28.5	30	1000	148.60
30.5	30	1000	149.45
38.0	30	1000	150.20
41.0	30	1000	151.60
47.6	30	1000	152.00
50.0	30	1000	153.65
54.0	30	1000	154.45
58.0	30	1000	155.10
60.5	30	1000	155.90
62.0	30	1000	156.25
68.0	30	500	78.70
72.0	30	500	79.75
78.0	30	500	80.45
89.0	30	500	81.50
98.5	30	500	87.35
101.6	30	500	91.60


# ACCESSORIES

## PAROC WELDING DEVICE



### Application

- The PAROC capacitor discharge welding device PPWD has been designed for welding directly through the insulation. With this, you will be able to fasten the insulation to a surface in a one process step.



Capacity	Energy supply	Welding time	Weight	Size	Warranty	Price
µF		ms	kg	mm	months	€/pcs
132.000	230 V, 10A fuse protection	from 1 to 3	11	430 x 165 x 180	12	<b>4549.90</b>

## PAROC HVAC ALUCOAT TAPE

Fiberglass reinforced aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and silicized release paper liner. PAROC logo printed on the surface.



### Application

- Ideal for sealing joints when using PAROC AluCoat products such as sections, lamella mats or slabs
- Gives a great finish and safe installation

### Technical specifications

- Surface temperature of the insulation (processing temperature) +5 °C to +40 °C
- Temperature resistance -35 °C to +120 °C
- The surface of the insulation must be dry, free of dust and grease - dry storage at an ambient temperature of +18 °C to +25 °C and protected from direct sunlight



Length	Width	Rolls per box	Cartons/pallet	Price
mm	mm			€/roll
50000	50	24	24	<b>24.55</b>
50000	75	16	24	<b>36.60</b>

## PAROC HVAC ALU TAPE

Aluminum tape with acrylic pressure sensitive low temperature flame-retardant acrylic adhesive and silicized release paper liner. PAROC logo printed on the surface.



Length mm	Width mm	Rolls per box	Cartons/pallet
25000	50	54	24
25000	75	36	24
25000	150	12	24

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

# ACCESSORIES

## PAROC HT TAPE

Special-purpose high temperature protection tape featuring superior adhesive strength. Maximal working temperature is 350 °C (peak), 250 °C (continuously)



### Application

- Ideal for PAROC Fire Place Slabs and other high temperature applications.
- Highly temperature resistant and age resistant.

Length mm	Width mm	Rolls per box	Cartons/pallet
50000	50	24	24
50000	80	18	24
50000	110	12	24

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)

## PAROC HVAC DOTS

The best solution for covering the head pins used on lamella mat on a duct in a fast, clean, even, moisture-proof and convenient way



### Application

- Large portfolio of accessories: Complete system including PAROC Head Pin, spatula, PAROC Hvac Lamella Mat AluCoat, PAROC Hvac Tape and PAROC Hvac Dots
- For less waste on the construction site
- Maintenance-free - will last as long as insulation
- Only spatula needed for fixation

Ø	Piece / roll	Rolls per box	Price
mm			€/roll
60	750	8	27.40

## PAROC PRO CLADDING SUPPORT 100 AND 140

Mineral wool supporting ring



### Application

- Easy to use and an obvious solution which can substitute standard metal supporting rings for heavy metal claddings without creating thermal bridges
- Beneficial when using material with poor compression strength for pipe insulation

Thickness mm	Diameter mm	Maximum service temperature
50 - 120	114 - 1016	640 °C - PAROC Pro Cladding Support 100 680 °C - PAROC Pro Cladding Support 140

Other dimensions on request

Need prices? Please email to [Paroc.de@owenscorning.com](mailto:Paroc.de@owenscorning.com)



**DURABLE**

*PAROC® stands for energy-efficient and fire safe insulation solutions of stone wool for new and renovated buildings, marine and offshore, acoustics and other industrial applications. Behind those products, there is an 80-year history of stone wool production knowhow backed with technical insulation expertise and innovation.*



**REUSABLE**

*Building Insulation offering covers a wide range of products and solutions for all traditional building insulation. The building insulation products are mainly used for the thermal, fire and sound insulation of exterior walls, roofs, floors and basements, intermediate floors and partitions. Sound absorbing ceilings and wall panels for interior acoustic control, as well as industrial noise control products, are available in the range.*



**SOUND REDUCING**

*Technical Insulation offering includes thermal, fire and sound insulation in HVAC systems, industrial processes and pipework, industrial equipment as well as shipbuilding and offshore industry.*

*For more information please visit [www.paroc.com](http://www.paroc.com)*



**FIRE PROOF**




**MOISTURE PROOF**



**SAFE**



**ENERGY EFFICIENT**



Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Paroc makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Paroc reserves the right to modify this document without prior notice.

Applications: April 2022  
1030TIAT0422  
© Paroc 2022

